NOV 2 4 2004

KO42865

Bio-Rad Laboratories Premarket Notification Section 510(k) for Liquichek Urine Toxicology Control (S1S and S2S) Summary of Safety and Effectiveness

Page 1 of 2

Summary of Safety and Effectiveness Liquichek Urine Toxicology Control (Levels S1S and S2S)

1.0 Submitter

Bio-Rad Laboratories 9500 Jeronimo Road. Irvine, California 92618-2017 Telephone: (949) 598-1200 Fax: (949) 598-1555

Contact Person

Suzanne S. Parsons Regulatory Affairs Specialist Telephone: (949) 598-1467

Date of Summary Preparation

October 15, 2004

2.0 **Device Identification**

Product Trade Name: Liquichek Urine Toxicology Control (Levels S1S and S2S)

Common Name:

Drug Mixture Control

Classifications:

Class I

Product Code:

DIF

Regulation Number:

21 CFR 862.3280

3.0 Device to Which Substantial Equivalence is Claimed

Liquichek Urine Toxicology Control (Levels S1E and S2E)

Bio-Rad Laboratories Irvine, California

Docket Number: K022707

4.0 **Description of Device**

Liquichek Urine Toxicology Controls are prepared from human urine with added drugs of abuse and metabolites of drugs of abuse, preservatives, stabilizers and constituents of animal origin. The control is provided in liquid form for convenience.

5.0 Statement of Intended Use

Liquichek Urine Toxicology Control (Levels S1S and S2S) is intended for use as quality controls urine to monitor the performance of laboratory urine toxicology enzyme immunoassay (EIA) screening procedures.

6.0 Comparison of the new device with the Predicate Device

The new Liquichek Urine Toxicology Controls (Levels S1S and S2S) claimsubstantial equivalence to the Liquichek Urine Toxicology Controls (Levels S1E and S2E) currently in commercial distribution (K022707).

Table 1. Similarities and Differences between new and predicate device.

(Levels S1E and S2E) (Predicate Device K022707) Similarities Lichek Urine Toxicology Control (Levels S1E and E) are intended for use as quality controls urine to nitor the performance of laboratory urine toxicology yme immunoassay (EIA) screening procedures. Liquid Urine 2-8°C until expiration date 30 days at 2-8°C Differences	enzyme immunoassay (EIA) screening procedures. Liquid Urine 2-8°C until expiration date 30 days at 2-8°C
Similarities uichek Urine Toxicology Control (Levels S1E and E) are intended for use as quality controls urine to nitor the performance of laboratory urine toxicology yme immunoassay (EIA) screening procedures. Liquid Urine 2-8°C until expiration date 30 days at 2-8°C Differences	Liquichek Urine Toxicology Control (Levels S1S and S2S) are intended for use as quality controls urine to monitor the performance of laboratory urine toxicology enzyme immunoassay (EIA) screening procedures. Liquid Urine 2-8°C until expiration date 30 days at 2-8°C
uichek Urine Toxicology Control (Levels S1E and E) are intended for use as quality controls urine to nitor the performance of laboratory urine toxicology syme immunoassay (EIA) screening procedures. Liquid Urine 2-8°C until expiration date 30 days at 2-8°C Differences	Liquichek Urine Toxicology Control (Levels S1S and S2S) are intended for use as quality controls urine to monitor the performance of laboratory urine toxicology enzyme immunoassay (EIA) screening procedures. Liquid Urine 2-8°C until expiration date 30 days at 2-8°C
are intended for use as quality controls urine to nitor the performance of laboratory urine toxicology tyme immunoassay (EIA) screening procedures. Liquid Urine 2-8°C until expiration date 30 days at 2-8°C Differences	S2S) are intended for use as quality controls urine to monitor the performance of laboratory urine toxicology enzyme immunoassay (EIA) screening procedures. Liquid Urine 2-8°C until expiration date 30 days at 2-8°C
nitor the performance of laboratory urine toxicology yme immunoassay (EIA) screening procedures. Liquid Urine 2-8°C until expiration date 30 days at 2-8°C Differences	monitor the performance of laboratory urine toxicology enzyme immunoassay (EIA) screening procedures. Liquid Urine 2-8°C until expiration date 30 days at 2-8°C
nitor the performance of laboratory urine toxicology yme immunoassay (EIA) screening procedures. Liquid Urine 2-8°C until expiration date 30 days at 2-8°C Differences	monitor the performance of laboratory urine toxicology enzyme immunoassay (EIA) screening procedures. Liquid Urine 2-8°C until expiration date 30 days at 2-8°C
yme immunoassay (EIA) screening procedures. Liquid Urine 2-8°C until expiration date 30 days at 2-8°C Differences	enzyme immunoassay (EIA) screening procedures. Liquid Urine 2-8°C until expiration date 30 days at 2-8°C
Liquid Urine 2-8°C until expiration date 30 days at 2-8°C Differences	Liquid Urine 2-8°C until expiration date 30 days at 2-8°C
Urine 2-8°C until expiration date 30 days at 2-8°C Differences	Urine 2-8°C until expiration date 30 days at 2-8°C
2-8°C until expiration date 30 days at 2-8°C Differences	2-8°C until expiration date 30 days at 2-8°C
30 days at 2-8°C Differences	30 days at 2-8°C
and services in the service in the services in	
and services in the service in the services in	
ntains:	Contains:
ethamphetamine	d-Methamphetamine
OOH-11-nor-Δ9-THC	9-COOH-11-nor-Δ9-THC
zoylecgonine	Benzoylecgonine
phine (Free)	Morphine (Free)
encyclidine	Phencyclidine
cobarbital metazepam	3,4-Methylenedioxymethamphetamine (MDMA)
anol	Does not contains
)	Does not contains
hadone	Secobarbital
haqualone	Lormetazepam
poxyphene	Ethanol
yclic Antidepressants (nortriptyline)	LSD
	Methadone
)
es not contains	Methaqualone Propoxyphene
	haqualone poxyphene

7.0 Summary of Performance Data

Stability studies have been performed to determine the open vial stability and shelf life for the Liquichek Urine Toxicology Control Levels S1S and S2S. Product claims are as follows:

7.1 Open vial: 30 days at 2-8°C.

7.2 Shelf Life: Three years stored at 2-8 °C

7.3 Real time studies will be ongoing to support the shelf life of this product.



Public Health Service

Food and Drug Administration 2098 Gaither Road Rockville MD 20850

NOV 2 4 2004

Ms. Elizabeth Platt Regulatory Affairs Manager/ Quality Assurance Bio-Rad Laboratories, QSD 9500 Jeronimo Road Irvine, California 92618

Re:

k042865

Trade/Device Name: Liquichek Urine Toxicology Control (Level S1S and S2S)

Regulation Number: 21 CFR 862.3280

Regulation Name: Clinical toxicology control material

Regulatory Class: Class I Product Code: DIF Dated: October 15, 2004 Received: October 18, 2004

Dear Ms. Platt:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in Title 21, Code of Federal Regulations (CFR), Parts 800 to 895. In addition, FDA may publish further announcements concerning your device in the <u>Federal Register</u>.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Parts 801 and 809); and good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820).

Page 2 -

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific information about the application of labeling requirements to your device, or questions on the promotion and advertising of your device, please contact the Office of In Vitro Diagnostic Device Evaluation and Safety at (301) 594-3084. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address http://www.fda.gov/cdrh/dsma/dsmamain.html.

Sincerely yours,

Cornelia B. Rooks, MA

Acting Director

Division of Chemistry and Toxicology

Office of In Vitro Diagnostic Device

Evaluation and Safety

Center for Devices and

Radiological Health

Enclosure

Indications for Use

510(k) Number (if known):	
Device Name:	Liquichek Urine Toxicology Control (Level S1S and S2S)
Indications For Use:	Liquichek Urine Toxicology Control is intended for use as quality control urine to monitor the performance of laboratory urine toxicology enzyme Immunoassay (EIA) screening procedures.
÷	
Prescription Use X (Part 21 CFR 801 Subpart D)	AND/OR Over-The-Counter Use (21 CFR 807 Subpart C)
(PLEASE DO NOT WRI NEEDED)	TE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF
Concurrence of	CDRH, Office of In Vitro Diagnostic Devices (OIVD)
Alke	Page 1 of
De the R Alberta	With Diagnostic Legation and Safety
51 0(k)	K042865